

Durham E-Theses

A regional study of the East Jordan valley, with special relation to the problems of soil and water utilization

Saleh, Hassan ABD EL Kadir

How to cite:

Saleh, Hassan ABD EL Kadir (1969) A regional study of the East Jordan valley, with special relation to the problems of soil and water utilization, Durham theses, Durham University. Available at Durham E-Theses Online: http://etheses.dur.ac.uk/10360/

Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- ullet a full bibliographic reference is made to the original source
- a link is made to the metadata record in Durham E-Theses
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the full Durham E-Theses policy for further details.

```
Location.
              The Santera Jordan Valley,
              Hind rone (Jeriche 1939-83).
              Wind velocity (1864-66),
              Cloud amounts over a period of 1864-65 (Oktas).
              Mean monthly temperatures.
   1,5
              Hean, maximum and minimum temperatures (1961-66).
              Hear monthly relative humidity (1961-66). 7
Hear, maximum and minimum annual reinfall (1951-67). 8
   1,600
   2470
              Altitude-precipitation relationships.
              Mean monthly rainfell,
              A REGIONAL STUDY OF THE EAST JORDAN VALLEY,
              Musbor of raindays
              WITH SPECIAL RELATION TO THE PROBLEMS OF SOIL
              Total raturall in each intendity class (1961-67).
              AND WATER UTILIZATION.
   2.15
                                    LIZATION. Southern Valley.
              Rean monthly rainfall and temperatures.
              Maan daily evaporation,
              Average water deficiency and surplus for Deir Alla (1953-59).
   2,19 .
              Monthly Communitive Une Namograph.
             Volume II : MAPS AND DIAGRAMS.
                                                                    1.9
             Tabqut Fahl.
             Eurolyine.
             Deir Alla. BY
             Kebid.
             Geological map of the Southern Jordan Valley.
             HASSAN ABD EL KADIR SALEH
                                                                 26
             Distribution of pusped wells in March 1966.
             Isodecline map of aquifers during the years 1961-1965.
                                                                   27
             Contour map of selimity levels of groundwater (Summer 1965). 28
             Average sonthly total flow of rivers in MCM. (1929-63).
             " bago " " sido wadis in NCM, (1929-63).
             Water use by MGIP, (1963-64).
             UNIVERSITY OF DURHAM
             Estinates of water available to the EGIP, and its water
             requirement (1969/63); JUNE 1969.
             Operational efficiency of lateral 14.4 during August 1964.
  3,3
             Time erodibility (1965).
             Vapical sections down Rift Valley and through the Transjordan
            BOSONIE INF.
            Configure of relief.
            Socrion sorone Jorden Valley agar Penia.
                                                                   36
            Major Geomorphological units.
                                                                   37
            long profiles of eix main wadis.
            Schountie sections a) A tributary of the Lower Jordan,
                       b) The Jordan Valley in the latitude of
            Rock
            Eloy
                     The copyright of this thesis rests with the author.
                    No quotation from it should be published without
                                                                   42
                    his prior written consent and information derived
                                                                   43
                 from it should be acknowledged.
                                                                   46
                    (Southern Zor),
                                                                   47
                                                                   48
                                                                   49
            May map for land classification,
            Land Classification A (Northern Shunch Sub-District).
            Land Classification B (Southern Shuneh Sub-District).
           Areas sifected by salinity.
           Soluble sale displacement "A",
           Soluble mit displacement "B".
7.4
           Variation in monthly factors for the wind erosion during the
           year 1965.
           Wind erodibility index for selected stations (1965).
           Types of erosion.
           Water eredibility.
           Land use in Roman times,
           Main tribel areas.
           Land Use pre 1950.
           Irrigation in 1938.
          Key map: Land use areas.
8,6
          Land use in 1959: Northern Skunch.
           " " " " Deir Alla,
              " " : Southern Shuneh.
8,9
                                                                  66
                                                                  67
```

List of Illustrations,

Page

2.6

Figure



Figure	List of Illustrations.	Page
0.1	Location.	1 00
0.2	The Eastern Jordan Valley.	2
1,1	Wind rose (Jericho 1959-65).	3
1.2	Wind velocity (1964-66).	3
1.3	Cloud amounts over a period of 1964-65 (Oktas). Mean monthly temperatures.	5
1.5	Mean, maximum and minimum temperatures (1961-66).	6 72
1.60.2	Mean monthly relative humidity (1961-66).	7 72
1.7	Mean, maximum and minimum annual rainfall (1951-67).	8
1.8	Altitude-precipitation relationships,	9
1.9	Mean monthly rainfall. Rainfall Isohyets.	10
1.11	Number of raindays per annum.	12
1.12	Rainfall distribution (1961-67).	13
1.13	Total rainfall in each intensity class (1961-67). Annual rainfall totals for 6 stations in the Northern Valley.	14
1.14	" " " " Southern Valley.	16
1.16	Mean monthly rainfall and temperatures.	16
1.17	Mean daily evaporation.	17
1.18	Average water deficiency and surplus for Deir Alla (1952-59). Monthly Consumptive Use Nomograph.	18
2.1	The fast Char tering lab by test	
2.2	Geological Key map.	19
2.3	Tabqat Fahl.	21
2.4	Kureiyima.	22
2.5	Deir Alla.	23
2.7	Geological map of the Southern Jordan Valley.	25
2.8	Typical cross section - Jordan Valley.	26
2.9 10.10	Contour map of groundwater levels (Summer 1965).	26
3.1 10,11	Distribution of pumped wells in March 1966.	27
3.2	Isodecline map of aquifers during the years 1961-1965.	28
3.3	Contour map of salinity levels of groundwater (Summer 1965). Average monthly total flow of rivers in MCM. (1929-63).	28 29
3.5	" base " " side wadis in MCM. (1929-63).	30
3.6	Water use by EGIP. (1962-64).	31
3.7	" " " (1964-66).	32
3,8	Estimates of water available to the EGIP, and its water	33
3.9	requirement (1962/63). Operational efficiency of lateral 14.4 during August 1964.	33
4.1	Wind erodibility (1965). Typical sections down Rift Valley and through the Transjordan	34
	mountains.	35
4.3	Contours of relief.	36
4.4	Section across Jordan Valley near Damia.	35 37
4.6	Major Geomorphological units. Long profiles of six main wadis.	38
4.7	Schematic sections a) A tributary of the Lower Jordan.	
	b) The Jordan Valley in the latitude of	00
4.8	Jericho. Reconnaissance map of the natural vegetation.	38
5.1	" " " soil series.	40
5.2	Key for soil maps.	41
5.3	Thick alluvium over marl association (Northern Valley).	42
5.4	" " " (Southern Valley).	43
5.5	Thin alluvium over marl association (Northern Valley).	44
5.7	Residual from marl association (Katar Solonchak).	46
5.8	" (Sebkha Solonchak).	47
5.9	Alluvial complex association (Northern Zor). " " (Southern Zor).	48
1000		
6.1	Key map for land classification. Land Classification A (Northern Shuneh Sub-District).	50 51
6.3	Land Classification B (Southern Shuneh Sub-District).	52
7.1	Areas affected by salinity.	53
7.2	Soluble salt displacement "A".	54
7.3	Soluble salt displacement "B".	55
7.4	Variation in monthly factors for the wind erosion during the	***
7.5	year 1965. Wind erodibility index for selected stations (1965).	56 56
7.6	Types of erosion.	57
7.7	Water erodibility.	58
8.1	Land use in Roman times.	59
8.2	Main tribal areas.	60
8.3	Land Use pre 1950.	61
8.4	Irrigation in 1938.	62
8.6	Key map: Land use areas. Land use in 1959: Northern Shuneh.	63 64
8.7	" " : Kureiyima.	65
8.8	" " : Deir Alla.	66
8.9	" " : Southern Shuneh.	67

Figure		Page.
8,10	Irrigation in 1960.	68
8.11	Areas brought into irrigation 1938-1960.	69
8.12	Village Harrawiya land use in winter of 1954/55.	70
8.13		
	1303/00.	70
8.14	Mamra 1954/55.	71
8.15	" " 1965/66.	71
0.7	Wednesday	-
9.1	Major categories of land use in 1939, 1953 and 1966.	72
9.2	Irrigation in 1967.	73
9.3	Areas brought into irrigation 1960-1967.	74
9.4	Land use in 1967 : Northern Shuneh.	75
9.5	Land use in 1967 : Kureiyima.	76
9.6	Land use in 1967 : Deir Alla.	77
9.7	Land use in 1967 : Southern Shuneh.	78
9.8	Cropping pattern during winters of 1965 and 1966.	79
9.9	Cropping pattern during summer of 1966.	80
9.9 9.10 9.11	Cropping patterns in the East Ghor Irrigation Project (1966).	81
0.11		
	Crop acreages in Ghor Nimrin in April 1967.	82
9.12	Crop acreages in Ghor Kufrein in April 1967.	83
9,13	Agricultural crop belts (1966).	84
wid of a		
10.1	Irrigation channels in Project Area.	85
10.2	The East Ghor Irrigation Project.	86
10.3	Development Area 2 : property parcellation prior to the presen	t
1	farm units layout of the project.	87
10.4	Development Area 2 : The present farm units layout.	87
10.5	Geographic population density (1966).	
		88
10.6 JERICI	Agricultural density of population (1966).	89
10.7	Population by age-groups (1961).	90
JERUSO.8M	Population pyramid (1961).	-90
10.9	Households by source of water (1967).	91
10.10	Functions of population (1967).	91
/10.11	Proposed administrative centres.	92
1	Troposou diministrativo contros.	04
1		
1 1	SAUDI	- 1
(SAUDI	
(F94 <	
	SAUDI	
	F94 <	
	F94 <	1
	F94 <	
	F9-	
	ARABIA	
	ARABIA	
	ARABIA WARREN	
	ARABIA WARREN	
	ARABIA WSSR	
	ARABIA ARABIA TURKEY	
	ARABIA ARABIA ARABIA	
	ARABIA Artaro TURKEY	
	ARABIA O TURKEY O TURKEY O TURKEY O TO THE TO T	
	ARABIA ARABIA ARABIA	
	ARABIA O TURKEY O TURKEY O TURKEY O TO THE TO T	
	ARABIA ARABIA TURKEY RAO Bernella RAO Bernella RAO Bernella RAO Bernella RAO Bernella RAO	
	ARABIA ARABIA ARABIA I U R K E Y LUCAN Deposite TORDAN	
	ARABIA ARABIA ARABIA TURKEY RAO Benderic	
	ARABIA O LUCASION TORDAN O COSTO TORDAN	
4)	ARABIA ARABIA I U R K E Y LEBA DEPARTE	
= ADARA	ARABIA O LUCASION TORDAN O COSTO TORDAN	
AQABA	ARABIA O LUCASION TORDAN O COSTO TORDAN	
= ADARA	ARABIA O LUCASION TORDAN O COSTO TORDAN	
AQABA	ARABIA O LUCASION TORDAN O COSTO TORDAN	
AQABA	ARABIA ARABIA ARABIA ARABIA	
AQABA	ARABIA ARABIA ARABIA ARABIA ARABIA ARABIA ARABIA	
AQABA	ARABIA ARABIA ARABIA ARABIA	
AQABA S A U D	ARABIA ARABIA ARABIA ARABIA ARABIA ARABIA ARABIA	




Figure. O.1.




Figure. 0.2.





Figure. 1.1.



Figure, 1.2.




Figure. 1.3.

MEAN MONTHLY TEMPERATURES




Figure. 1.4.







Figure. 1.5.

MEAN MONTHLY RELATIVE HUMIDITY (1961 - 1966)



MEAN, MAXIMUM AND MINIMUM ANNUAL RAINFALL (1951-1967)





ALTITUDE - PRECIPITATION RELATIONSHIPS




Figure. 1.8.

MEAN MONTHLY RAINFALL




Figure. 1.9.







Figure. 1.10.

NUMBER OF RAINDAYS PER ANNUM










Figure. 1.11.




Figure. 1.12.




Figure. 1.13.






Figure. 1.14.

ANNUAL RAINFALL TOTALS FOR 3 STATIONS IN THE SOUTHERN VALLEY.



MEAN MONTHLY : RAINFALL AND TEMPERATURES



MEAN DAILY EVAPORATION

(24 hrs. mm. Piché method)




Figure. 1.17.

Figure. 1.18.




Figure. 1.19.




Figure. 2.1.





Figure. 2.2.



195

Figure. 2.3.




Figure. 2.4.

180




Figure. 2.5.

Figure. 2.6.

150




Figure. 2.7.




Figure. 2.8.




Figure. 2.9.




Figure. 3.1.




Figure. 3.3.

AVERAGE MONTHLY TOTAL FLOW OF RIVERS IN MCM. (1928/29-1962/63)




Figure. 3.4.

AVERAGE MONTHLY BASE FLOW OF SIDE WADIS IN MCM (1928/29-1962/63)




Figure. 3.5.

WATER USE BY EAST GHOR IRRIGATION PROJECT (1962 - 1964)




Figure. 3.6.

EGCA.





Figure. 3.7.






Figure. 3.9.




Figure. 4.1.




Figure. 4.2.




Figure. 4.4.




Figure. 4.3.



Figure, 4.5.




Figure. 4.6.




Figure. 4.7.




Figure. 4.8.

RECONNAISSANCE MAP OF THE SOIL SERIES Soil Association Soil Series Reddish Brown Alluvial Soil Old Thick Alluvium Over Marl Greyish-Brown Alluvial Soil Grey Brown Alluvial Soil Old Thin Alluvium Over Marl Grey Solonchak Soil Katar (Lisan Marl) Solonchak Residual From Marl Sebkha (Mud Flat) Solonchak Residual From Rendzina Soil Limestone Recent Zor Alluvium **Alluvial Complex** Dead Sed




Figure. 5.2.

THICK ALLUVIUM OVER MARL ASSOCIATION (Northern Valley)




Figure. 5.3.

THICK ALLUVIUM OVER MARL ASSOCIATION

(Southern Valley)




Figure.5.4.

THIN ALLUVIUM OVER MARL ASSOCIATION (Northern Valley) Series Phase Lisan Marl Soil Greyish-Brown Soils Loam Soil Silt Loam Soil Silty Clay Soil Profile Location 100 400 metres 100 30

Figure. 5.5.

THIN ALLUVIUM OVER MARL ASSOCIATION




Figure. 5.6.

RESIDUAL FROM MARL ASSOCIATION




Figure. 5.7.

RESIDUAL FROM MARL ASSOCIATION

(Northern Valley)




Figure. 5.8.

ALLUVIAL COMPLEX ASSOCIATION (Northern Zor)




Figure. 5.9.

ALLUVIAL COMPLEX ASSOCIATION

(Southern Zor)




Figure. 5.10.




Figure. 6.1.

ALLUVIAL COMPLEX ASSOCIATION

(Southern Zor)




Figure. 5.10.




Figure. 6.1.




Figure. 6.2.





Figure. 6.3.



Figure, 7.1.




Figure. 7.2.




Figure. 7.3.

Figure. 7.4.




Figure. 7.5.




Figure. 7.6.




Figure. 7.7.





Figure. 8.1.






Figure. 8.3.




Figure. 8.4.




Figure. 8.5.

LAND USE IN 1959 Northern Shuneh




Figure. 8.6.




Figure. 8.7.




Figure. 8.8.




Figure. 8.9.




Figure. 8.10.





Figure. 8.11.

Figure. 8.12.


VILLAGE HARRAWIYA LAND USE

IN WINTER OF 1954/55

Ghor El Arbain



VILLAGE HARRAWIYA LAND USE IN WINTER OF 1965/66



VILLAGE HAMRA LAND USE IN WINTER OF 1954/55 Ghor El Arba'in Village and gardens Citrus and Bananas Vegetables Cereals Uncultivated _Village bounda Farm 100 100 Metres VILLAGE HAMRA LAND USE IN WINTER OF 1965/66 100 100 metres Village and gardens Farm and crop boundaries Citrus and Bananas Vegetables Cereal Village boundaries

MAJOR CATEGORIES OF LAND USE IN 1939, 1953 AND 1966




Figure. 9.1.




Figure. 9.2.




Figure. 9.3.

LAND USE IN 1967

Northern Shuneh




Figure. 9.4.

LAND USE IN 1967 Kurei yima Villages and Gardens Cultivated Land Orchards Woodland and Scrub Badland (Katar) 4kms




Figure. 9.6.




Figure. 9.7.

CROPPING PATTERN DURING WINTERS OF 1965 AND 1966




Figure. 9.8.

CROPPING PATTERN DURING SUMMER OF 1966





Figure. 9.9.

CROPPING PATTERNS IN THE EAST GHOR IRRIGATION PROJECT (1966)Bananas Peppers Citrus Beans Tomatoes Cucumbers Aubergines Mallows (Greens) Wheat Cabbages Cauliflowers Maize Potatoes Miscellaneous SUMMER WINTER Area boundar-Main canal kms 10

CROP ACREAGES IN GHOR NIMRIN IN APRIL 1967






Figure. 9.11.

CROP ACREAGES IN GHOR KUFREIN IN APRIL 1967





Figure. 9.12.

AGRICULTURAL CROP BELTS

(1966)






Figure. 10.1.




Figure. 10.2.




Figure. 10.4.




Figure. 10.5.






Figure. 10.6.


POPULATION BY AGE-GROUPS (1961)









POPULATION PYRAMID (1961)



HOUSEHOLDS BY SOURCE OF WATER (1967)



FUNCTIONS OF POPULATION (1967)



PROPOSED ADMINISTRATIVE CENTRES




Figure. 10.11.