



Durham E-Theses

The geography of Argiculture in irrigated areas of the middle Euphrates valley

Al-Barazi, N. K.

How to cite:

Al-Barazi, N. K. (1960) *The geography of Argiculture in irrigated areas of the middle Euphrates valley*, Durham theses, Durham University. Available at Durham E-Theses Online:
<http://etheses.dur.ac.uk/9692/>

Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a link is made to the metadata record in Durham E-Theses
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the [full Durham E-Theses policy](#) for further details.

THE GEOGRAPHY OF AGRICULTURE IN IRRIGATED AREAS

of

THE MIDDLE EUPHRATES VALLEY

VOLUME II

MAPS, DIAGRAMS AND PHOTOGRAPHS

THESIS SUBMITTED FOR THE DEGREE OF Ph.D. (IN GEOGRAPHY)

of

THE UNIVERSITY OF DURHAM

N. K. AL-BARAZI



FEBRUARY 1960

MAPS

1. Iraq geographic regions.
2. Topography and drainage map of the Middle Euphrates Valley.
3. Geographical regions.
4. Marshes zone.
5. Drainage evolution of the Euphrates course from 3,000 B.C. to present.
6. The extension of the Old Delta of the Middle Euphrates in Chaladian times, 39 B.C.
7. Solid geology.
8. Average daily mean temperature for July, 1936-56.
9. Average daily mean temperature for January, 1936-56.
10. Average means of daily pressure for January, 1936-56.
11. Average means of daily pressure for July, 1936-56.
12. Average frequency and wind direction at Habbaniya and Diwaniya stations, January 1936-56.
13. Average frequency and wind direction at Habbaniya and Diwaniya stations, for July, 1936-56.
14. Average annual rainfall, 1936-56.
15. Depression, Tuesday 22nd February, 1956.
16. Average number of rain days, 1936-56.
17. Average means of relative humidity in percentages for July, 1936-56.
18. Means of relative humidity in percentages for January, 1936-56.
19. Soils.
20. Land classification, 1957.
21. Land utilization, 1957.
22. Systems of artificial drainage.
23. Administrative units (Qadhas).
24. Population density, 1947.
- 25a. Population density, 1957.
- 25b. Areas of soils salinity (location of project areas).
26. Irrigation project areas.
27. Methods of irrigation employed.
28. Proposed irrigation projects.
29. Proposed irrigation project areas.
30. Area irrigated from Hilla canal.
31. Habbaniya and Abu-Dibis reservoirs.
32. Agricultural regions.
33. Distribution of barley by Qadhas, 1957.
34. Distribution of wheat by Qadhas, 1957.
35. Distribution of rice by Qadhas, 1957.
36. Distribution of minor grains in Qadhas, 1957.
37. Distribution of broad beans by Qadhas, 1957.
38. Distribution of cotton by Qadhas, 1957.
39. Distribution of dates by Qadhas, 1957.

MAPS (continued)

40. Distribution of fruits by Qadhas, 1957.
41. Distribution of fruit trees and percentage of each type.
42. Distribution of vegetables by Qadhas, 1957.
43. Distribution of sheep by Qadhas, 1957.
44. Distribution of cattle by Qadhas, 1957.
45. Distribution of goats by Qadhas, 1957.
46. Distribution of buffalo by Qadhas, 1957.
47. Distribution of horses by Qadhas, 1957.
48. Distribution of donkeys and mules by Qadhas, 1957.
49. Distribution of camels by Qadhas, 1957.
50. Distribution of settlements by number of dwellings, 1957.
51. Distribution of settled and semi-settled Arab tribes, 1957.
52. Distribution of the types of land tenure and percentage of each type.
53. Communications.

DIAGRAMS

1. Topographical cross-section from Nasiriya to Ramadi.
2. Diagram of Diwaniya and Habbaniya stations for mean temperatures and rainfall.
- 3A. Diagram of Diwaniya and Habbaniya for mean maximum and mean minimum temperatures and rainfall.
- 3b. Yearly variations from mean rainfall.
4. Length of day and number of hours; monthly means, Habbaniya Station, 1936-56.
5. Population increase, 1919-1957.
6. Methods of irrigation employed, 1957.
7. Land utilization in the Middle Euphrates Valley, 1957.
8. Crop distribution in percentages, 1957.
9. Muhsin Ahmed farm.
10. Hamid Al Rashid farm.
11. Haj Mahdi Al Hamid farm.
12. Farm No. 9.
13. Haj Atiyah farm.
14. Abdul Aziz farm.
15. Abu Tabikh farm.
16. Shamiya No. 20 farm.

PHOTOGRAPHS

1. Haur Ibn Najim.
2. Haur Abu Hajar.
3. Landscape of Jezireh between the Hills — Daghrrah Canals.
- 4a. The River Euphrates at Samawa.
- 4b. The River Euphrates in the western Haswa plateau.
5. Date groves between Musayib and the Hindiya Barrage.
6. Kufa Branch.
7. Hilla city on the Hilla Canal.
8. Diwaniya on the Hilla Canal.
9. The Rumaita Regulator.
10. The Eastern outfall of Shamiya.
11. Pumping station at Karbala outfall.
12. Cement works at Musayib.
13. A primitive plough.
14. A primitive jarjar at Muhsin Ahmed Farm.
15. The Nuhr al-Malik (an ancient irrigated canal).
- 16a. The Daghrrah Barrage.
- 16b. The Mushkab Regulator.
17. The Habbaniya Regulator.
18. The Ramadi Barrage.
19. The Warrar Regulator.
20. The Dhiban Intake.
21. The Mujarra Intake.
22. The Abu-Dibis Depression.
23. The Saqlawiya Regulator.
24. The Abu-Ghraib Regulator.
25. The Yusufiya Regulator.
26. The Latifya Nursery.
27. A meeting of cultivators on the Latifya estate.
28. The Musayib Regulator.
29. A bridge on Musayib Canal
30. The Hindiya Barrage.
31. The Hilla Regulator.
32. The Kifl Regulator.
33. The Beni-Hassan Regulator.
34. The Husseiniya Regulator.
35. A Diesel pump on the Upper Euphrates.
36. A weel by the Mahawil Canal.
37. A chared by the Lower Euphrates.
38. Orchards at Abu-Shkair.
39. A rice-field at Shamiya.
- 40a. Barley being loaded on to camels.
- 40b. A Dehdar irrigating a rice-field.
41. A field of sesame at Haj Atiya Farm.

- 42a. A Cotton-field on the Latifya estate.
- 42b. Cotton harvesting at Hamza Nahiya.
- 42c. Cotton-Boll-worm control at Abu-Ghraib-Estate.
- 43. Palm trees by the Husseiniya Canal.
- 44. Orchards at Ibrahimiyah estate (Karbala).
- 45. Orchards at Kufa.
- 46. Palm trees at the Shamiya Branch (Jisr al-Abbasiat).
- 47. Palm trees by the head of Mahawil Canal.
- 48. Madhatiya Village.
- 49. Palm fertilization.
- 50. Date-harvesting.
- 51. Orchards at Mahmudiya.
- 52. Orchards at Drawishka settlement (Karbala).
- 53. Nursery at Karbala.
- 54. Orchards of apricots and apels by the Hilla Canal.
- 55. Orchards at Musayib.
- 56. Peaches and pears at Karbala City.
- 57. Sheep on fallow land.
- 58. Grazing fallow land.
- 59. Sheep-shearing.
- 60. Cattle at Abu-Tabikh Farm.
- 61. Semi-settled tribesmen in the Mahmudiya area.
- 62. Butter-making at Abu-Ghraib dairy.
- 63. Works packing butter at the Abu Ghraib dairy.
- 64. A goat.
- 65. Water-buffalo at Shamiya.
- 66. Sarifa (summer dwelling).
- 67. Cottage (winter dwelling).
- 68. Modern combine-harvester.
- 69. Barley harvesting.
- 70. A farmhouse at Haj Madi Al-Hamid Farm.
- 71. A cotton-field at Farm No. 9.
- 72. A cotton-field at Haj Atiya Farm.
- 73. A field of alfalfa at Haj Atiya Farm.
- 74. A rice-field at Abdul-Aziz Farm.
- 75. Farmhouses on the Abu-Tabikh estate.
- 76. Farmhouses on the Shamiya No. 20 Farm.
- 77. A rice-field at Hour Ibn Najim.
- 78. Semi-settled tribesmen at Mufraq - Karbala Station.
- 79. Reed huts by Ghamas swamps (Shamiya).
- 80. Saddat al-Hindiya Village.
- 81. Jadwal al-Gharbi Village.
- 82. A main street in Najaf.

83. A main square in Hilla.
84. Karbala Railway Station.
85. A main street in Diwaniya.
86. Shamiya settlement.
87. Rumaita settlement.
88. Mufraq - Karbala Station.

IRAQ GEOGRAPHIC REGIONS




FIG. 1

TOPOGRAPHY AND DRAINAGE MAP
OF
THE MIDDLE EUPHRATES VALLEY




FIG. 2




FIG. 3

MARSHES ZONE





FIG. 4

DRAINAGE EVOLUTION OF THE
EUPHRATES COURSE FROM
3,000 B. C. TO PRESENT

N ↑



RUINED CITIES - MOUND

KUTHA RIVER COURSE

BABYLON RIVER COURSE

BALLACOPAS CHANNEL - HINDIYA BRANCH

PRESENT EUPHRATES COURSE

16 0 8 16

MILES

SOURCE: DEPARTMENT OF ARCHEOLOGY ; 1956

FIG. 5




FIG. 6

J E Z I R E H Z O N E

SOLID GEOLOGY

0 16 8 16
MILES

N
↑

KARBALA

ISKANDRIA

HILLA

BAHR MAF

KUFA

ABU-SKHAI'R

SAMAWA

KHDHER

PERIOD	FORMATION
RECENT AND PLEISTOCENE	YOUNG AND OLD ALLUVIUM
PLIOCENE & UPPER MIocene	BUKHTIARI AND UPPER FARS
LOWER MIocene	LOWER FARS AND EUPHRATES LIMESTONE

SOURCE : W. A. MACFADYAN 4th JULY 1937.

FIG. 7

AVERAGE DAILY MEAN TEMPERATURE
(MAXIMUM)
FOR JULY 1936-56




FIG. 8

AVERAGE DAILY MEAN TEMPERATURE
(MINIMA)
FOR JANUARY 1936-56




FIG. 9

AVERAGE MEANS OF DAILY PRESSURE
FOR JANUARY 1936-56




FIG. 10

999 MBS.

998 MBS.

AVERAGE MEANS OF DAILY PRESSURE
FOR JULY, 1936-56

N
↑

1000 MBS.

DIWANIYA

998 MBS.

1000 MBS.
999 MBS.

NOTE: ISOBAR LINES ARE BASED ON THE RECORDED
FIGURES FOR STATIONS PUBLISHED IN THE
MONTHLY WEATHER REPORT OF THE METEOROLOGICAL
DEPARTMENT, IRAQI GOVERNMENT.

16 0 8 16

MILES

FIG. 11

AVERAGE FREQUENCY AND WIND DIRECTION
AT HABBANIYA AND DIWANIYA STATIONS
JANUARY 1936-56




FIG. 12

AVERAGE FREQUENCY AND WIND DIRECTION
AT HABBANIYA, AND DIWANIYA STATIONS, FOR
JULY 1936-56




FIG. 13

AVERAGE ANNUAL RAINFALL

1936-1956



SAMAWA
116

RAINFALL STATION AND PRECIPITATION (MM)

-100-

ISOHYETAL LINE BASED ON PRECIPITATION DATA (MM)

—
BOUNDARY

~~~~~  
RIVER

NOTE: ISOHYETAL LINES REPRESENT MEAN ANNUAL RAINFALL IN MILLIMETERS BASED ON THE 20 YEAR PERIOD, 1936-1956.

16 0 8 16  
MILES

FIG. 14




FIG. 15

AVERAGE NUMBER OF RAIN DAYS  
1936-1956




FIG. 16

AVERAGE MEANS OF RELATIVE HUMIDITY IN PERCENTAGES  
FOR JULY 1936-56




FIG. 17

MEANS OF RELATIVE HUMIDITY IN PERCENTAGES  
FOR JANUARY 1936-56




FIG. 18





FIG. 19

# LAND CLASSIFICATION, 1957


N



CLASS 1




CLASS 2



CLASS 3




CLASS 4



CLASS 5



SETTLEMENT



LAKE AND SWAMP

16 0 8 16  
MILES






FIG. 20



## SYSTEMS OF ARTIFICIAL DRAINAGE



SOURCE : IRRIGATION DEPAT.

FIG. 22

## ADMINISTRATIVE UNITS - QADHAS-





FIG. 23

## POPULATION DENSITY, 1947

N ↑



< 20 PER SQ. KM.  
20-40 " " "  
40-80 " " "  
80-160 " " "  
160-320 " " "



FIG. 24

POPULATION DENSITY,  
1957

N  
↑



0 - 20 PER SQ. KM.  
20 - 40 " " "  
40 - 80 " " "  
80 - 160 " " "  
160 - 320 " " "  
OVER 320 " " "

16 0 8 16  
MILES




FIG. 25(A)

## AREAS OF SOIL SALINITY (LOCATION OF PROJECT AREAS)




FIG. 25(B)

## IRRIGATION PROJECT AREAS






FIG. 26


## METHODS OF IRRIGATION EMPLOYED



FLOODING IRRIGATION AREAS



PUMPING IRRIGATION AREAS



CHANNEL IRRIGATION AREAS



NON IRRIGATION AREA



FIG. 27

## PROPOSED IRRIGATION PROJECTS

N  
↑



EXISTING CANALS



REMODELLED EXISTING CANALS



PROPOSED CANALS



RESERVOIRS



BARRAGES AND REGULATORS



FIG. 28

## PROPOSED IRRIGATION PROJECT AREAS




FIG. 29




FIG. 30






FIG. 31

## AGRICULTURAL REGIONS


N  
↑




UPPER REGION



INTERMEDIATE REGION



JEZIREH ZONE




RICE ZONE



FIG. 32

DISTRIBUTION OF BARLEY  
BY QADHAS, 1957  
(IN MESHARAS)

N



16 0 8 16  
MILES

FIG. 33

DISTRIBUTION OF WHEAT  
BY QADHAS, 1957  
(IN MESHARAS)

N





FIG. 34

DISTRIBUTION OF RICE BY  
QADHAS, 1957  
(IN MESHARAS)






FIG. 35

DISTRIBUTION OF MINOR  
GRAINS IN QADHAS, 1957  
(IN MESHARAS)

N




FIG. 36

DISTRIBUTION OF BROAD BEANS  
BY QADHAS, 1957  
(IN MESHARAS)

N  
↑





FIG. 37

DISTRIBUTION OF COTTON  
BY QADHAS, 1957  
(IN MESHARAS)

N







FIG. 38

DISTRIBUTION OF DATES  
BY QADHAS, 1957  
(IN MESHARAS)



16      0      8      16  
MILES

FIG. 39.

DISTRIBUTION OF FRUITS  
BY QADHAS, 1957  
(IN MESHARAS)

N





FIG. 40

## DISTRIBUTION OF FRUIT TREES AND PERCENTAGE OF EACH TYPE

N

- [Solid black square] POMEGRANATES
- [Cross-hatched square] ORANGES
- [Horizontal hatched square] APPLES
- [Diagonal hatched square] APRICOTS
- [Dotted square] LEMONS
- [Empty square] PEACHES AND PEARS

16      0      8      16  
MILES

FIG. 41

DISTRIBUTION OF VEGETABLES  
BY QADHAS, 1957  
(IN MESHARAS)





FIG. 42

DISTRIBUTION OF SHEEP  
BY QADHAS, 1957  
ONE DOT REPRESENTS  
1000 HEAD  
TOTAL POPULATION 1098428



FIG. 43

DISTRIBUTION OF CATTLE  
BY QADHAS, 1957  
ONE DOT REPRESENTS  
500 HEAD  
TOTAL POPULATION 216,385




FIG. 44

DISTRIBUTION OF GOATS BY  
QADHAS, 1957  
ONE DOT REPRESENTS 500  
HEAD  
TOTAL POPULATION 162837

N  
↑

16 0 8 16  
MILES

FIG. 45

DISTRIBUTION OF BUFFALO BY  
QADHAS, 1957  
ONE DOT REPRESENTS  
100 HEAD  
TOTAL POPULATION 13056



FIG. 46

DISTRIBUTION OF HORSES  
BY QADHAS, 1957  
ONE DOT REPRESENTS 100  
HEAD  
TOTAL POPULATION 43958



FIG. 47

DISTRIBUTION OF DONKEYS  
AND MULES BY QADHAS, 1957  
ONE DOT REPRESENTS 250 HEAD  
TOTAL POPULATION 177,808



FIG. 48

DISTRIBUTION OF CAMELS  
BY QADHAS, 1957  
ONE DOT REPRESENTS 50  
HEAD  
TOTAL POPULATION 18,326

N

16 0 8 16  
MILES

FIG. 49

DISTRIBUTION OF SETTLEMENTS  
BY NUMBER OF DWELLINGS, 1957

N




AVERAGE NUMBER OF OCCUPANTS PER HOUSE IS 6.2



FIG. 50

## DISTRIBUTION OF SETTLED AND SEMI-SETTLED ARAB TRIBES, 1957



DISTRIBUTION OF THE TYPES OF  
LAND TENURE AND PERCENTAGE OF  
EACH TYPE, 1957

N  
↑

- [Solid black square] MULK
- [Cross-hatched square] MIRI LAZMA
- [Horizontal striped square] MIRI TAPU
- [Vertical striped square] MIRI SIRF
- [Square with dots] MATRUK
- [Empty square] WAQF

16      0      8      16  
MILES

FIG. 52




FIG. 2





FIG. 3(A)



YEARLY VARIATIONS FROM MEAN RAINFALL

1937-1952

FIG. 3(B)





FIG. 4

POPULATION INCREASE  
1919-1957



NOTE: 1919 ] ESTIMATES  
1935 ]  
1947 ] CENSUS - UNRELIABLE -  
1957 ] CENSUS

FIG. 5

## METHODS OF IRRIGATION EMPLOYED, 1957

AREA - IN MESHARAS -




FIG. 6

## LAND UTILIZATION IN THE MIDDLE EUPHRATES VALLEY, 1957





FIG. 7

CROP DISTRIBUTION IN PERCENTAGE,  
AREA - IN MESHARAS -, 1957




FIG. 8




FIG. 9




FIG. 10





FIG. 11






FIG. 15

## SHAMIYA NO. 20 FARM






FIG. 16



1



4 (a)




2



4 (b)




3



5



6



9



7



10




8



11



12



15




13




16 (a)




14




16 (b)




17




20



18




21



19




22



23




26



24



27




25




28



29




32




30



33



31



34



35



38



36



39



37



40 (a)



40 (b)



42 (b)



41



42 (c)



42 (a)



43



44



47




45




48




46



49



50



53



51



54



52



55



56



59




57



60



58



61



62



65



63




66



64



67




68



71



69



72




70



73




74




77




75



78



76



79



80



83



81



84



82



85



86



87



88

